ThinkPad X390 Yoga 20NN002NGE

Product

ThinkPad X390 Yoga

Region WE

Country Germany

Machine Type 20NN

TopSeller TopSeller

Processor Core i7-8565U (4C / 8T, 1.8 / 4.6GHz, 8MB)

Graphics Integrated Intel UHD Graphics 620

Chipset Intel SoC Platform

Memory 16GB Soldered DDR4-2400

Display 13.3" FHD (1920x1080) IPS 300nits Glossy

Multi-touch 10-point Multi-touch

Storage 512GB SSD M.2 2280 PCIe NVMe Opal2

Optane Memory None

Optical None

WLAN + Bluetooth Intel 9560 ac, 2x2 + BT5.0

WWAN Fibocom L830-EB

Smart Card Reader Smart Card Reader

Monitor Cable None

Bundled Accessories None

Color Black

Case Material Carbon-Fiber Hybrid Camera IR &720p

> Keyboard Backlit

Pen ThinkPad Pen Pro

Fingerprint Reader Fingerprint Reader

NFC None

TPM Discrete TPM 2.0

Battery Integrated 50Wh

Power Adapter 65W USB-C

System Management None

Operating System Windows 10 Pro 64

Bundled Software None

Warranty 3-year, Depot

End of Support 2025-05-30

Announce Date 2019-04-30

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences. https://www.lenovo.com/hk/en/battery-info

WWW.LENOVO.COM

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2019. All rights reserved.



ThinkPad X390 Yoga Platform Specifications

Product Specifications Reference (PSREF)

Processor	8th Generation Intel [®] Core™ i5 / i7 Processor									Smart card reader Optional: Smart card reader		
	Processor		# of	Base	Max Turbo	Cache	Memory Types	Processor		MicroSD card reader, in the combo slot with nano-SIM card		
		1 1					, .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Graphics	Ports	Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C Gen 1 (with the function of Power Delivery and Display Port),		
	i5-8265U	4	8	1.6 GHz	3.9 GHz	_		1. 1	Ч	one USB 3.1 Type-C Gen 2 / Thunderbolt 3 (with the function of PD and DP),		
	i5-8365U	4	8	1.6 GHz	4.1 GHz		DDR4-2400	Intel UHD	ų –	HDMI 1.4b, Ethernet extension connector,		
	i7-8565U	4	8	1.8 GHz	4.6 GHz	-		Graphics 620	Ч	combo slot of nano-SIM card (WWAN models) and microSD card reader,		
	i7-8665U	4	8	1.9 GHz	4.8 GHz	8MB]	headphone / microphone combo jack, optional smart card reader,		
Graphics	Intel UHD	Intel UHD Graphics 620 in processor only;							1	side docking connector, security keyhole		
·	supports external digital monitor via HDMI or USB Type-C;								Monitor cable	* Depending on many factors, actual data transfer speed may be lower than theoretical speed USB-C to HDMI. Lenovo USB-C to HDMI Adapter		
	supports th	nree ind	epende	nt displays	s;				(optional)	USB-C to VGA: Lenovo USB-C to VGA Adapter		
					()1	e-C); 40)96x2160@24	4Hz (HDMI)		USB-C to DP: Lenovo USB-C to DisplayPort Adapter		
	Intel SoC (Bundled Accy	Optional: ThinkPad Ethernet Extension Adapter Gen 2		
Memory	8GB or 16GB / 2400MHz DDR4 / soldered to systemboard, no sockets * Installed memory is actually 2666MHz but run at 2400MHz due to Intel limitation								Camera	One of the following, configurable by model:		
			,							 HD720p camera, with ThinkShutter camera privacy, fixed focus 		
Display	13.3" (337	.8mm) F	-HD (19	20x1080),	, LED bac	klight, II	PS, Glossy, 3	00 nits,		• IR camera and HD720p camera, with ThinkShutter camera privacy, fixed focus		
	16:9 aspect ratio, 800:1 contrast ratio, Color Gamut 72%, 170° viewing angle, capacitive-type multi-touch, AR (anti-reflection), AS (anti-smudge)								Audio support	HD Audio, Realtek® ALC3287 codec / stereo speakers, 2W x 2, Dolby® Audio™ Pre-		
					u-reflection	n), AS (a	anu-smudge)			mium / dual array microphone, headphone / microphone combo jack		
	supports 10-finger gesture Yoga hinge, 360 degree								Keyboard	6-row, spill-resistant, multimedia Fn keys, LED backlight		
	Laptop, tent, stand and tablet								UltraNav™	TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad		
					ulti-touch	display.	, on-board rec	hargeable	Security	Power-on password, hard disk password, supervisor password, security keyhole		
	M.2 2280 SSD / SATA 6.0Gb/s M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4								Security chip	Discrete TPM 2.0 TCG Certified		
0										Intel vPro Technology er Touch style match on chip fingerprint reader on the palm rest		
	• M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2									Near Field Communication		
	Intel Optane memory, PCIe NVMe, PCIe 3.0 x 2 None								Battery			
					0.11.11					with 65W USB Type-C AC adapter		
	Native Intel Ethernet Connection I219-V (<i>Non-vPro</i>) or I219-LM (<i>vPro</i>)								Max battery life	MobileMark® 2014: 14.5 hrs		
	via bundled or optional ThinkPad Ethernet Extension Adapter Gen 2					lension	Auapter Gen	2		* Battery life varies significantly with settings, usage, & other factors		
	One of the following, configurable by model:								AC adapter	45W or 65W USB Type-C AC adapter		
		Intel Wireless-AC 9560, Wi-Fi 2x2 802.11ac + Bluetooth 5.0							Light sensor	None		
	 Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.0 Bluetooth 5.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter 							ter	G-sensor	3D accelerometer		
							- combo auaț		Gyroscope	3D gyrometer		
	 One of the following, configurable by model: Integrated Mobile Broadband 4G LTE, Fibocom L830-EB, M.2 card (EMEA only) Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card * For non-WWAN model, it means the model is NOT WWAN upgradable 							d (EMEA	Preload	Windows® 10 Home 64 or Windows 10 Pro 64		
								,		One of the following, configurable by model:		
								ard		1-year depot repair service		
]	3-year/1-yr battery depot repair service		
	WxDxH: 12.22" x 8.62" x 0.63"; 310.4mm x 219mm x 15.95mm Starting at 2.85 lb (1.29kg) Black or silver Display cover: Carbon-Fiber Hybrid									3-year/1-yr battery limited onsite service		
									· ·	MIL-STD-810G military certification		
									Environment	EPEAT™ Bronze; ENERGY STAR [®] 7.0; RoHS-compliant		
Case Material	Display cov Bottom:	ver. Ca	Irbon-Fi	ber Hybrid ber Hybrid	1					,		
L		50										
										Lenov		

Lenovo April 2019





(intel)



(intel) inside

(intel)



(intel) inside