Lenovo

ideacentre T540-15AMA G 90L50006GE

Product

ideacentre T540-15AMA G

Region

WE

Country/Region

Germany

Machine Type

90L5

Processor

AMD Ryzen 5 3600 (6C / 12T, 3.6 / 4.2GHz, 3MB L2 / 32MB L3)

Graphics

NVIDIA GeForce GTX 1650 4GB GDDR5

Chipset

AMD PRO 560

Memory

1x 8GB DIMM DDR4-2666

Storage

512GB SSD M.2.2280 NVMe

Optical

None

Ethernet

Integrated 100/1000M

Media Reader

7-in-1

WLAN + Bluetooth

11ac, 1x1 + BT5.0

Color

Iron Grey

Keyboard

USB Calliope Keyboard, Black, German

Mouse

USB Calliope Mouse, Black

System Fan

Default

Power Supply

210W 85% Energy Star

Operating System

Windows 10 Home 64, German

Bundled Software

None

Base Warranty

2-year, Depot

Bundled Service

None

EAN / UPC

194632149951

End of Support

N/A

Announce Date

2019-12-06

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2020. All rights reserved.



AMD**∄**

ideacentre T540-15AMA G Platform Specifications

Processor	AMD Ryzen seri	es APU					Security features	Power-on password
		Cores / Threads	Frequency (Base/Max)	L2 Cache	Memory Types	Integrated Graphics		Hard-disk password Administrator password Manager
	Ryzen 5 PRO 2600	6/12 3	3.4 GHz / 3.9 GHz	3 MB	DDR4-2933	-	Keyboard (opt)	Kensington® lock Lenovo Calliope Keyboard (USB connector), Fn keys, black
	Ryzen 5 3600	6/12 3	3.6 GHz / 4.2 GHz	3 MB	DDR4-3200	-		Lenovo Calliope Mouse (USB connector),black
	Ryzen 7 3700X	8/16	3.6 GHz / 4.4 GHz	4 MB	DDR4-3200	-	Mechanical	• Tower (15L), mineral grey, metal case
Memory	32GB max, 2666MHz DDR4, two UDIMM sockets * Memory may be underclocked for the lower capability of memory controller in processor							 (WxDxH) with bezel: 5.7st x 11.9" x 14.4"; 145mm x 302.7mm x 366mm Approx 13.76 lb (6.24 kg), weight may vary by configuration Bay 1: 3.5", HDD internal bay Slot 1: full-length full-height, PCle 3.0 x16 Slot 2: full-length full-height, PCle 3.0 x1 Slot 3: full-length full-height, PCle 3.0 x1
Storage	Some: SATA 6.0Gb/s, 3.5" wide, 7200 rpm Some: M.2 SSD / PCIe NVMe, PCIe 3.0 x 4							
Optical (optional)None Onboard SATA SATA 6.0Gb/s controller, three SATA connectors							Slot 4: full-length full-height, PCI x1 M.2 card slots: one for WLAN, one for M.2 SSD	
Media reader							Power supply	ower supply Some: 210 watts, autosensing, universal (100V-240V) Some: 310 watts, autosensing, universal (100V-240V)
Graphics	Some: NVIDIA GeForce GTX 1650, 4GB GDDR5, DirectX 12, VR ready, one HDMI, two DP; Max resolution: 4096x2160 (HDMI)@60Hz; 7680x4320 (DP)@60Hz; Some: NVIDIA GeForce GTX 1660 Ti, 6GB GDDR6, DirectX 12, VR ready, one DVI, one HDMI, one DP; Max resolution: 4096x2160 (HDMI)@60Hz; 5120x2880 (DP)@60Hz; 2560x1600 (DVI)@60Hz						Limited warranty	1-year, limited mail-in service / service upgrades available 1-year or 2-year, depot repair service / service upgrades available
							Preload Preloaded operating system Windows® 10 Home 64 Preloaded applications (only some listed) Lenovo® Vantage Lenovo PC Manager Lenovo Anti-Virus Plus McAfee Live Safe	Windows® 10 Home 64 Preloaded applications (only some listed)
Chipset	AMD PRO 560 chipset							
Front ports*	two USB 3.1 Gen 1, two USB 3.1 Gen 2, one headphone jack (3.5mm), one microphone jack (3.5mm), optional media reader							
Rear ports*	two USB 2.0, two USB 3.1 Gen 1, ethernet (RJ-45), power connector					aratical annual	Environment	ENERGY STAR® 7.0; ErP Lot 3; RoHS-compliant
* Depending on many factors, actual data transfer speed may be lower than theoretical speed Rear audio ports Line-in (3.5mm), line-out (3.5mm), microphone-in (3.5mm)								
Audio support High Definition (HD) Audio, Realtek® ALC662								
WLAN (optional) Some: 11ac, M.2 Card, Wi-Fi + Bluetooth combo adapter, 1x1 Some: 11ac, M.2 Card, Wi-Fi + Bluetooth combo adapter, 2x2 Bluetooth** (opt) Bluetooth 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter Ethernet One gigabit ethernet port								
Lenovo								







ADMA ADMA





AMDA ADMA