ideacentre 310S-08ASR 90G900A2GE

Product ideacentre 310S-08ASR

Region WE

Country/Region Germany

Machine Type 90G9

Processor AMD A9-9425 (2C, 3.1 / 3.7GHz, 1MB L2)

Graphics Integrated AMD Radeon R5 Graphics

Chipset AMD SoC Platform

Memory 1x 8GB DIMM DDR4-2666

Storage 1x 256GB SSD 2.5" SATA6Gb/s Opal

Optical None

Ethernet Integrated 100/1000M

Media Reader None

WLAN + *Bluetooth* 11ac, 1x1 + BT4.0

Color Black

Keyboard USB Calliope Keyboard, Black, German

Mouse USB Calliope Mouse, Black

System Fan Default

Power Supply 65W Adapter *Operating System* Windows 10 Home 64, German

Bundled Software

Base Warranty 2-year, Depot

Bundled Service

EAN / UPC 193638878148

End of Support

Announce Date 2019-07-19

Recommended Services

Best 3Y Onsite upgrade from 2Y Depot/CCI (5WS0K82801)

Better 3Y Dept/CCI upgrade from 2Y Depot CCI (5WS0K82802)

Good 2Y Onsite upgrade from 2Y Depot/CCI (5WS0K82805)

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2020. All rights reserved.



ideacentre 310S-08ASR Platform Specifications

Product Specifications Reference (PSREF)

Processor	AMD A or E series APUs						Security features Power-on password, administrator password, hard-disk password	
	Processor	Cores	Frequency (Base/Max)	Cache	Memory Types	Integrated Graphics	Keyboard (opt)	Some: Lenovo Calliope Keyboard (USB connector), Fn keys, black or silver Some: Lenovo Wireless Keyboard. Fn keys, black
	E2-9030		2.0 GHz / 2.2 GHz		DDR4-2133	Radeon [™] R2	Mouse (opt)	Some: Lenovo Calliope Mouse (USB connector), black or silver Some: Lenovo Wireless Mouse, black
	A4-9125]	2.3 GHz / 2.6 GHz			Radeon R3		
	A6-9225		2.6 GHz / 3.0 GHz			Radeon R4	Mechanical	• SFF Tower (8.4L), silver & black color
	A6-9230	2		DDR4-2400		-	 Dimensions (WxDxH): 3.54" x 11.69" x 13.54"; 90mm x 297mm x 344mm Weights (net weight): 9.5 lb (4.3 kg) Optional LI2264D Monitor (21.5") 	
	A9-9420			DDR4-2133				
	A9-9425		3.1 GHz / 3.7 GHz	, L	DDR4-2133	Radeon R5		Bay 1: silm optical bay
	A9-9430		3.2 GHz / 3.5 GHz	2 GHz / 3.5 GHz				Bay 2: 3.5", disk Bay 3: 2.5", disk
Memory	16GB max, DDR4 1866MHz, 2400MHz or 2666MHz two UDIMM sockets, dual-channel capable							Slot 1: low-profile, PCIe x16 (version 2.0) Slot 2: low-profile, PCIe x1 (version 2.0) Slot 3: M.2 card slot (for WLAN)
Storage	Some: SATA 6.0Gb/s, 3.5" wide, 7200 rpm Some: SSD / SATA 6.0Gb/s, 2.5" wide						Power adapter	Some: 150 watts, autosensing, EnergyStar 6.1, universal (100V-240V) Some: 120 watts, autosensing, EnergyStar 6.1, universal (100V-240V) Some: 150 watts, autosensing, EnergyStar 6.1, universal (100V-240V) Some: 150 watts, autosensing, EnergyStar 6.1, universal (100V-240V)
Optical <i>(opt)</i> Onboard SATA Media reader	DVD±RW, SATA connector, slim SATA 6.0Gb/s controller (integrated in chipset), two SATA 6.0Gb/s connectors Optional 7-in-1 media reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus)						Power adapter	
Graphics	Some: AMD Radeon R2 / R3 / R4 / R5 Graphics in processor, uses main memory, DirectX® 12 Some: NVIDIA® GeForce® GT730, 1GB GDDR5 or 2GB GDDR3, one VGA, one HDMI, DirectX® 12 Max resolution: 1920x1200@60Hz (VGA); 4096x2160@30Hz (HDMI)						Limited warranty	 1-year, limited mail-in service / service upgrades available 1-year or 2-year, depot repair service / service upgrades available
							Preload Preloaded operating system Windows® 10 Home 64	
Chipset	AMD SoC platform							Preloaded applications (only some listed)
Front ports* Rear ports*	Two USB 2.0, USB 3.1 Gen1, one headphone / microphone combo jack (3.5mm), one microphone (3.5mm), optional media reader Two USB 2.0, ethernet (RJ-45), VGA, HDMI (1.4b), power connector						 Lenovo® Rescue System Lenovo Companion Lenovo ID Adobe® Reader® 	
IEEE 1394	Line-in (3.5mm), line-out (3.5mm), microphone-in (3.5mm)						Environment	ENERGY STAR® 6.1; GREENGUARD®; ErP Lot 3; RoHS-compliant
	* Depending on many factors, actual data transfer speed may be lower than theoretical speed							
Audio support	High Definition (HD) Audio, Realtek® ALC662]	
WLAN <i>(opt)</i> Bluetooth [™] <i>(opt)</i> Ethernet Modem	11ac, M.2 Card, Wi-Fi + Bluetooth combo adapter, 1x1 Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter One gigabit ethernet port, RTL8111GN None							

Lenovo

Lenovo September 2018 ideacentre 310S-08ASR











